

CONTENTS

1. OAUTH AUTHENTICATION API
2. OAUTH REFRESH TOKEN API
3. GET PROFESSION
4. GET SPECIALTY
5. GET STATES
6. GET COUNTRIES
7. GET CANDIDATE STATUSES
8. GET REFERRAL SOURCES
9. GET RECRUITERS
10. GET CANDIDATE TYPES
11. GET JOBS
12. INSERT CANDIDATE
13. UPDATE CANDIDATE
14. GET CANDIDATES
15. GET CANDIDATE BY CANDIDATE ID
16. GET STAFFING SPECIALIST
17. GET SHIFTS
18. UPDATE CANDIDATE PATCH
19. INSERT EDUCATION HISTORY
20. INSERT HEALTHCARE EMPLOYEMENT HISTORY
21. INSERT PROFESSIONAL EMPLOYEMENT HISTORY
22. INSERT GAP OF EMPLOYEMENT
23. REFER A FRIEND
24. GET JOB STATUSES
25. GET OFFERINGS
26. GET DIVISION


```
"loginCode": "FIRST_LOGIN",  
"isPasswordAutogenerated": false,  
"token_type": "Bearer",  
"tokenIdIdentifier": "38e8f2af-83b9-462b-9c02-a1d9d5907ecb",  
"userId": 314,  
"access_token": "eyJhbGciOi.....",  
"refresh_token": "Rr4W.....",  
"userFirstLogin": false,  
"agencyMobileAppAccess": false,  
"organizationIdentifier": "Nexus",  
"applicationTypeId": "ATS_AGENCY",  
"tokenVerifier": "6:314:dfcb4ccf-0b02-4fba-9f76-e9b378a1c36f",  
"organizationAgencyMobileAppAccess": false,  
"expires_in": 3599
```

PLEASE MAKE A NOTE!

>>To access the API for Nexus, pass the above jwt access token “access_token” in header of the request with Authorization key.

Example: Authorization Bearer <jwt_access_token>

>>This token will expire in “expires_in” seconds.

>>After that token will be invalid. Kindly use Refresh Token API by using “refresh_token” to get the new access token.

2. OAUTH REFRESH TOKEN API

URL: <https://api-uat.laboredge.com/auth/oauth2/token>

METHOD: POST

HEADER:

Key	Value
Content-Type	application/x-www-form-urlencoded
Authorization	Basic dm1zOnZtc1NIY3JldCMk


INPUT:

consumes: application/x-www-form-urlencoded

parameters:

Key	Value
grant_type	refresh_token
refresh_token	<get from latest oauth authentication API>
organizationCode	<LE will provide this>
tokenVerifier	<get from latest oauth authentication API>

POSTMAN EXAMPLE



OUTPUT:

```
{
  "id_token": "eyJ3bGciOiJIUzI1NiJ9.....",
  "loginCode": null,
  "isPasswordAutogenerated": false,
  "token_type": "Bearer",
  "tokenIdentifier": null,
```

```
"userId": 314,  
"access_token": "eyJhbGciOiJIUzI1NiJ9.....",  
"refresh_token": "bPqkThGk1MDaH5cnNpFG1kmoPXaZl.....",  
"userFirstLogin": false,  
"agencyMobileAppAccess": false,  
"organizationIdentifier": "Nexus",  
"applicationTypeId": "ATS_AGENCY",  
"scope": "openid profile",  
"tokenVerifier": "6:314:1666faae-a341-4405-9399-3a3d28b57a4c",  
"organizationAgencyMobileAppAccess": false,  
"expires_in": 3599  
}
```

PLEASE MAKE A NOTE!

>> To access the API for Nexus, pass the above jwt access token “access_token” in header of the request with Authorization key

Example: Authorization Bearer <jwt_access_token>

>>This token will expire in “expires_in” seconds. After that token will be invalid, kindly use Refresh Token API to get “refresh_token” to get the new access token.

>>Refresh token will work only once.

>>Refresh token, token verifier always use from latest Authentication API response.

3. GET PROFESSION

URL: <https://api-uat.laboredge.com:9000/api/api-integration/v1/master/professions>

METHOD: GET

HEADER: Authorization: Bearer <access_token>

OUTPUT:

```
[
  {
    "id":16,
    "name":"Certified Surg Tech",
    "active":true
  },
  {
    "id":48,
    "name":"PT",
    "active":true
  },
  {
    "id":17,
    "name":"LPN",
    "active":false
  },
  {
    "id":18,
    "name":"CNA",
    "active":true
  },
  {
    "id":197,
    "name":"Data Entry Clerk",
    "active":false
  }
]
```

4. GET SPECIALTY

URL: <https://api-uat.laboredge.com:9000/api/api-integration/v1/master/specialties>

METHOD: GET

HEADER: Authorization: Bearer <access_token>

OUTPUT:

```
[
  {
    "specialtyId":50,
    "name":"First Assist",
    "active":true,
    "professionId":16
  },
  {
    "specialtyId":48,
    "name":"Sterile Processing Tech",
    "active":true,
    "professionId":16
  },
  {
    "specialtyId":36,
    "name":"NICU",
    "active":true,
    "professionId":18
  },
  {
    "specialtyId":49,
    "name":"Endocrinology",
    "active":true,
    "professionId":16
  }
]
```

5. GET STATES

URL: <https://api-uat.laboredge.com:9000/api/api-integration/v1/master/states>

METHOD: GET

HEADER: Authorization: Bearer <access_token>

OUTPUT:

```
[
  {
    "id":228,
    "name":"Alabama",
    "countryId":6,
    "code":"AL"
  },
  {
    "id":220,
    "name":"Alaska",
    "countryId":6,
    "code":"AK"
  },
  {
    "id":256,
    "name":"California",
    "countryId":6,
    "code":"CA"
  },
  {
    "id":259,
    "name":"Colorado",
    "countryId":6,
    "code":"CO"
  },
  {
    "id":249,
    "name":"Georgia",
    "countryId":6,
    "code":"GA"
  }
]
```

6. GET COUNTRIES

URL: <https://api-uat.laboredge.com:9000/api/api-integration/v1/master/countries>

METHOD: GET

HEADER: Authorization: Bearer <access_token>

OUTPUT:

```
[
  {
    "id":71,
    "name":"Canada",
    "code":"CAN"
  },
  {
    "id":6,
    "name":"United States",
    "code":"USA"
  }
]
```

7. GET CANDIDATE STATUSES

URL: <https://api-uat.laboredge.com:9000/api/api-integration/v1/master/candidatestatuses>

METHOD: GET

HEADER: Authorization: Bearer <access_token>

OUTPUT:

```
[
  {
    "id": 54,
    "name": "Active",
    "active": true,
    "code": "ACTIVE",
    "module": "CANDIDATE"
  },
  {
    "id": 58,
    "name": "Booked",
    "active": true,
    "code": "BOOKED",
    "module": "CANDIDATE"
  },
  {
    "id": 60,
    "name": "Ready to Work",
    "active": true,
    "code": "PENDING",
    "module": "CANDIDATE"
  },
  {
    "id": 55,
    "name": "Prospect",
    "active": true,
    "code": "PROSPECT",
    "module": "CANDIDATE"
  },
  {
    "id": 59,
    "name": "Active1",
    "active": true,
    "code": "ACTIVE",
    "module": "CANDIDATE_PRN"
  },
  {
    "id": 52,
    "name": "Pending",
    "active": true,
    "code": "PENDING",
    "module": "CANDIDATE_PRN"
  },
  {
    "id": 51,
    "name": "Prospect",
    "active": true,
    "code": "PROSPECT",
    "module": "CANDIDATE_PRN"
  }
]
```

8. GET REFERRAL SOURCES

URL: <https://api-uat.laboredge.com:9000/api/api-integration/v1/master/referralsources>

METHOD: GET

HEADER: Authorization: Bearer <access_token>

OUTPUT:

```
[
  {
    "id": 10,
    "name": "Conference",
    "active": true
  },
  {
    "id": 6,
    "name": "Email Campaign",
    "active": true
  }
]
```

9. GET RECRUITERS

URL: <https://api-uat.laboredge.com:9000/api/api-integration/v1/master/recruiters>

METHOD: GET

HEADER: Authorization: Bearer <access_token>

OUTPUT:

```
[
  {
    "id": 57,
    "name": "Tina Mihic",
    "active": true,
    "email": "tmihic@email.com"
  },
  {
    "id": 69,
    "name": "Pravin Surve",
    "active": true,
    "email": "psurve@email.com"
  }
]
```



10. GET CANDIDATE TYPES

URL: <https://api-uat.laboredge.com:9000/api/api-integration/v1/master/candidatetypes>

METHOD: GET

HEADER: Authorization: Bearer <access_token>

Sample Postman request

https://api-uat.laboredge.com:9000/api/api-integration/v1/master/candidatetypes

GET

https://api-uat.laboredge.com:9000/api/api-integration/v1/master/candidatetypes

Params

Authorization

Headers (9)

Body

Pre-request Script

Tests

Settings

Headers

↔ 6 hidden

KEY	VALUE	DESCRIPTION
☒ Authorization	Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ3YXN0TmFIZSI6Ikp1paGl	
☒ Content-Type	application/json	
☒ Accept	application/json	
Key	Value	Description

Output:

```
[
  {
    "value": 1,
    "label": "Cold Lead"
  },
  {
    "value": 2,
    "label": "New Lead"
  },
  {
    "value": 6,
    "label": "NY - Placed"
  },
  {
    "value": 4,
    "label": "NY - Pre"
  },
  {
    "value": 5,
    "label": "NY - Ready"
  },
  {
    "value": 3,
    "label": "Warm Lead"
  }
]
```

11. GET JOBS

URL: <https://api-uat.laboredge.com:9000/api/job-service/v1/ats/external/jobs/search>

METHOD: POST

HEADER:

Key	Value
Authorization	Bearer <jwt_access_token_of_oauth_api>

INPUT: JSON Object

```
{
  "jobStatusCode": "OPEN",
  "startDateFrom": "2021-02-15",
  "startDateTo": "2021-03-15",
  "endDateFrom": "2021-06-02",
  "endDateTo": "2021-06-30",
  "professionIds": [269, 281],
  "specialtyIds": [1640, 1664],
  "stateIds": [4263, 4267],
  "jobId": 8585,
  "dateCreatedStart": "2022-08-25T16:55:29",
  "dateCreatedEnd": "2022-08-30T22:15:05",
  "dateModifiedStart": "2022-08-25T16:55:29",
  "dateModifiedEnd": "2022-08-30T22:15:05",
  "pagingDetails": {"start": 0},
  "hotJob": true,
  "postingId": "outpatient need",
  "staffingSpecialistIds": [80, 3788],
  "externalJobPostingId": "123456",
  "city": ["Aberdeen", "Los Angeles"],
  "zip": ["31701", "90011"],
  "offeringIds": ["NURSING"],
  "primaryDivisionIds": [58],
  "jobDealSheetModifiedStart": "2026-07-07T09:45:10",
  "jobDealSheetModifiedEnd": "2026-07-08T09:45:10"
}
```

Note: This API returns paginated records (100 at a time). Input field pagingDetails is required. The 'start' value is the first record to be returned. The first record is record 0. Rest of the input fields are optional. From and To date ranges should be valid.

With respect to the response, all the bill rates will be populated under rates array. Bill Rate Code that starts with BR_ is of type Bill Rate, where as, code that starts with PR_ is of type Pay Rate.

OUTPUT:

Note:

"title" is generated by combining profession:specialty,shift start time-shift end time
eg: "RN:ER,07:00:00-19:00:00"

"jobTitle" will be populated from Nexus Job Details

```
{
```

```
"count": 1,
"records": [
  {
```

```
    "id": 107203,
    "jobTitle": null,
    "postingId": null,
    "displayOnExternalJobBoard": true,
    "description": "Registered nurses fulfill a variety of job duties. In addition to the primary role in treating
and caring for patients, their responsibilities also include educating patients and the public about a variety of medical conditions, as
well as providing emotional support and advice to the families of their patients. Other RN job functions include performing
diagnostic tests and analyzing results, administering medications, operating medical equipment, recording patients' symptoms and
medical histories, and assisting with patient rehabilitation and follow-up.",
    "postedDate": "2023-08-10T12:24:49Z",
    "preferredCertifications": "",
    "signOnBonus": null,
    "noOfOpenings": 1,
    "jobType": "Travel",
    "msa": false,
    "startDate": "2023-08-10",
    "endDate": "2023-11-04",
    "asap": true,
    "duration": 13,
    "durationType": "WEEKS",
    "jobStatusId": 43,
    "jobStatus": "Open",
    "jobStatusCode": "OPEN",
    "jobHotJob": true,
    "floatingReqUnits": "Float to areas of Competency. 123",
    "positionType": null,
    "shiftStartTime1": "08:00:00",
    "shiftEndTime1": "16:00:00",
    "shiftStartTime2": null,
    "shiftEndTime2": null,
    "shiftsPerWeek1": 5,
    "scheduledHrs1": 40.0,
    "shiftsPerWeek2": null,
    "scheduledHrs2": null,
    "shift": "8 AM - 4 PM ( This is a regular 8 hour shift. ) ",
    "title": "RN:ER,08:00:00-16:00:00",
    "offering": "Nursing",
    "subOffering": null,
    "professionId": 15,
    "specialtyId": 24,
    "profession": "RN",
    "specialty": "ER",
    "salesRepId": 3926,
    "saleRepFirstName": "test",
    "saleRepLastName": "Patil",
    "saleRepEmail": "dpatil@yopmail.com",
    "staffingSpecialistId": 80,
    "staffingSpecialistFirstName": "Tina",
    "staffingSpecialistLastName": "Mihic",
    "staffingSpecialistEmail": "tMihic@laboredge.com",
```

```
"vmsId": 486,
"vms": "Ketan Test1",
"clientName": "Freedom",
"clientWebsite": null,
"clientPrimaryDivision": "Div AO",
"clientCity": "Allenton",
"clientStateId": 245,
"clientState": "Wisconsin",
"clientStateCode": "WI",
"clientZip": "53002",
"clientCountry": "USA",
"requiredCertificationsForOnboarding": [
    "ACLS"
],
"requiredCertificationsForSubmittal": [
    "AWHONN",
    "CBIS"
],
"rates": [
    {
        "billRateCodeId": "BR_REGULAR_BILL_RATE",
        "billRateCode": "Regular Bill Rate",
        "rate": 88.0
    },
    {
        "billRateCodeId": "BR_GREATER_THAN_EIGHT",
        "billRateCode": ">8 Bill Rate",
        "rate": 132.0
    },
    {
        "billRateCodeId": "BR_GREATER_THAN_FOURTY",
        "billRateCode": ">40 Bill Rate",
        "rate": 132.0
    },
    {
        "billRateCodeId": "BR_HOLIDAY_RATE",
        "billRateCode": "Holiday Bill Rate",
        "rate": 132.0
    }
],
"week1Gross": "$1695.37",
"nexusClientId": 3460,
"availableOpenings": null,
"postedBy": "Ketan Potale",
"vmsFee": 12.0,
"length": 13,
"additionalInformation": "",
"department": null,
"departmentId": null,
"offeringId": "NURSING",
"subOfferingId": null,
"workersCompCode": null,
"lodgingAmount": 685.99,
```

```
"mealAmount": 369.3800000000001,  
"hourlyStipendRate": 26.38,  
"featuredJob": true,  
"positionUrgencyId": "NORMAL",  
"positionUrgency": "Normal",  
"nonBillableHrs": 21.0,  
"billableHrs": 17.0,  
"billablePercent": 45.0,  
"weeklyPay": 1695.37,  
"hourlyPay": 42.38,  
"hourlyPayRange": "$32.38 - $42.38",  
"weeklyPayRange": "$1670.37 - $1695.37",  
"jobFillReason": "Filled by Nexus,Filled by Nexus,Filled by Nexus",  
"jobSetting": "Outpatient Facility ",  
"lastModifiedDateTime": "2024-09-05T10:43:59",  
"jobReopened": false,  
"jobReopenedDate": null,  
"callRequired": true,  
"callRequiredDetails": " YES TESTING",  
"recruiterIds": [39548, 42049 ,43812],  
"jobDealSheetlastModifiedDateTime": "2026-07-07T09:52:22"
```

```
}  
]  
}
```

POSTMAN EXAMPLE:

The screenshot displays a Postman interface for a POST request. The URL is `https://api-uat.laboredge.com:9000/api/job-service/v1/ats/external/jobs/search`. The request body is a JSON object with the following structure:

```
{  
  "jobStatusCode": "OPEN",  
  "startDateFrom": "2021-02-15",  
  "startDateTo": "2021-03-15",  
  "endDateFrom": "2021-06-02",  
  "endDateTo": "2021-06-30",  
  "pagingDetails": {"start": 0}  
}
```

The response is a 200 OK status with a response time of 2.10 s and a size of 2.99 KB. The response body is a JSON object:

```
{  
  "count": 2,  
  "records": [  
    {  
      "id": 7368,  
      "postingId": null,  
      "preferredCertifications": "",  
      "signonBonus": null,  
      "noOfOpenings": 1,  
      "jobType": "Local",  
      "mca": false,  
      "startDate": "2021-03-08".  
    }  
  ]  
}
```

12. INSERT CANDIDATE

URL: <https://api-uat.laboredge.com:9000/api/api-integration/v1/candidates>

METHOD: POST

HEADER: Authorization: Bearer <access_token>

INPUT: JSON Object

```
{
  "firstName": "Morris",
  "lastName": "Jhonnasan",
  "primaryEmail": "Moris@yopmail.com",
  "phone": "123-455-7890",
  "cellPhone": "987-464-3210",
  "statusId": 1,
  "referralSourceId": 2,
  "professionIds": [15],
  "specialtyIds": [24],
  "primarySpecialtyId": 24,
  "jobTypeIds": [
    "PERM",
    "TRAVEL",
    "PERDIEM",
    "LOCAL"
  ],
  "addressLine1": "123 Main St",
  "addressLine2": "Apt 456",
  "stateId": null,
  "city": "Springfield",
  "zip": "12345",
  "countryId": 8,
  "yearsOfExperience": 5.5,
  "availableFrom": "2023-09-01",
  "preferredStateIds": [
    228
  ],
  "candidateTypeIds": [
    1
  ],
  "licensedStateIds": [
    241,
    259
  ],
  "travelStatus": true,
  "candidatePrimaryDivisionId": null,
  "candidateSecondaryDivisionIds": null,
  "sendMassEmails": false,
  "sendMassSms": true,
  "recruiterId": 1475,
  "ambassadorUrl": "https://434.ambassador",
  "ambassador": true,
  "facebook": "facebook.lofitest.com",
  "instagram": "instagram.lofitest.com",
  "linkedin": "linkedin.lofitest.com",
  "other": "others.com",
  "staffingSpecialistId": 39576,
  "candidatePRNStatusId": 59,
  "preferredShiftIds": [411, 540, 594] ,
  "isHotCandidate": false,
  "dob": "1979-10-11",
  "npi": 5623891143,
  "leap": true,
  "jobId": 248442,
  "middleName": "M",
  "candidateHighlights": "3 Years ",
  "availabilityLogNotes": "Flexible on state",
  "desiredMinWeeklyGrossPay": 1234,
  "desiredMaxWeeklyGrossPay": 12345,
  "desiredArea": "Test1",
}
```

```
"secondaryEmail": "2nd@yopmail.com",  
"workPhone": "(123) 455-5620",  
"additionalPhone": "12345678901"
```

```
}
```

INPUT NOTES:

1. Required Fields – firstName, lastName, statusId, referralSourceId, professionIds, specialtyIds, primarySpecialtyId, stateId, countryId, jobTypeIds.
2. jobTypeIds - can have values "LOCAL", "PERDIEM", "PERM", "TRAVEL".
3. specialtyIds and primarySpecialtyId if any should belong to one of the professionIds in the request.
4. licensedStateIds – inserts into candidate professional license any missing combination of licensedStateIds and professionIds. No inserts id licensedStateIds are empty or null.
5. statusId – will not be updated if null
6. phone – this field is mapped to home phone in nexus
7. In Nexus candidate details, Cell Phone is marked as primary phone if its not null else it is defaulted to
8. User includes jobTypes as PERDIEM in an request, the PRN status ID must be mandatory in request, otherwise error message will display.

OUTPUT:

```
{  
  "id": 5841569  
}
```

13. UPDATE CANDIDATE

URL: <https://api-uat.laboredge.com:9000/api/api-integration/v1/candidates/{candidateId}>

note: *{candidateId} is to be replaced with the id of the candidate in the system.*

METHOD: PUT

HEADER: Authorization: Bearer <access_token>

INPUT: JSON Object

```
{
  "firstName": "JohnQ",
  "lastName": "DoeQ",
  "primaryEmail": "johndoQe@example.com",
  "phone": "123-455-7890",
  "cellPhone": "987-464-3210",
  "statusId": 1,
  "referralSourceId": 2,
  "professionIds": [15],
  "specialtyIds": [24],
  "primarySpecialtyId": 24,
  "jobTypeIds": [
    "PERM",
    "TRAVEL",
    "PERDIEM",
    "LOCAL"
  ],
  "candidatePRNStatusId": 1146,
  "addressLine1": "123 Main St",
  "addressLine2": "Apt 456",
  "stateId": null,
  "city": "Springfield",
  "zip": "12345",
  "countryId": 8,
  "yearsOfExperience": 5.5,
  "availableFrom": "2023-09-01",
  "preferredStateIds": [
    228
  ],
  "candidateTypeIds": [
    1
  ],
  "licensedStateIds": [
    241,
    259
  ],
  "travelStatus": true,
  "candidatePrimaryDivisionId": null,
  "candidateSecondaryDivisionIds": null,
  "sendMassEmails": false,
  "sendMassSms": true,
  "recruiterId": 1475,
  "ambassadorUrl": "https://1234.ambassador",
  "ambassador": true,
  "facebook": "facebook.lofitest.com",
  "instagram": "instagram.lofitest.com",
  "linkedin": "linkedin.lofitest.com",
  "other": "others.com",
  "staffingSpecialistId": 39576,
  "preferredShiftIds": [411, 540, 594],
  "dob": "1979-10-11",
  "npi": 5623891143,
  "middleName": "M",
  "candidateHighlights": "3 Years ",
  "availabilityLogNotes": "Flexible on state",
  "desiredMinWeeklyGrossPay": 159,
  "desiredMaxWeeklyGrossPay": 956,
  "secondaryEmail": "Lee.Test@yopmail.com",
  "workPhone": "123-455-7890",
  "desiredArea": "Test1",
}
```

```
"blockScheduling": false,  
"currentTraveler": true,  
"travelExperience": true,  
"chargeExperience": true,  
"teachingFacilityExperience": true,  
"additionalPhone": "12345678901"  
  
}
```

INPUT NOTES:

1. Required Fields – firstName, lastName, statusId, referralSourceId, professionIds, specialtyIds, primarySpecialtyId, stateId, countryId, jobTypeIds.
2. jobTypeIds - can have values "LOCAL", "PERDIEM", "PERM", "TRAVEL".
3. specialtyIds and primarySpecialtyId if any should belong to one of the professionIds in the request.
4. licensedStateIds – inserts into candidate professional license any missing combination of licensedStateIds and professionIds. No inserts if licensedStateIds are empty or null.
5. statusId – will not be updated if null
6. phone – this field is mapped to home phone in nexus
7. In Nexus candidate details, Cell Phone is marked as primary phone if its not null else it is defaulted to Home Phone.
8. The candidatePRNStatusId field is applicable only when "PERDIEM" is present in jobTypeIds.

OUTPUT:

```
{  
  "id": 5841538  
}
```

14 . GET CANDIDATES

URL: <https://api-uat.laboredge.com:9000/api/api-integration/v1/candidates/search>

METHOD: POST

HEADER: Authorization: Bearer <access_token>

INPUT: JSON Object

```
{
  "dateCreatedStart": "2021-03-02T16:55:29",
  "dateCreatedEnd": "2021-03-05T22:15:05",
  "dateModifiedStart": "2021-03-02T16:55:32",
  "dateModifiedEnd": "2021-03-03T22:27:58",
  "email": "tmihic1@gmail.com",
  "phone": "(214) 376-7452",
  "statusId": 55,
  "pagingSortingDetails": {
    "start": 0,
    "maxRowsToFetch": 100
  },
  "npi": "9786987698"
}
```

Note: This API will return 100 records at a time. If there are more than 100 records, place another API call with start: 100 . You can navigate through the records based on the count returned from the response. All the date fields are optional, if none of the dates are provided, all the records will be fetched.

Phone field should be in format (XXX) XXX-XXXX. If phone number is passed in search request then the api will return the candidates having exact match of either cell phone or leap phone or home phone or work phone.

OUTPUT:

```
{
  "count": 708,
  "records": [
    {
      "candidateId": 112,
      "firstName": "Elliott",
      "lastName": "Copley",
      "email": "tmihic1@gmail.com",
      "phone": "(210) 899-4677",
      "cellPhone": "(210) 899-4677",
      "statusId": null,
      "referralSourceId": 5,
      "professionIds": [
        15
      ],
      "specialtyIds": [
        24,
        25
      ],
      "primarySpecialtyId": 24,
      "addressLine1": "4585 Ferry Drive",
      "addressLine2": null,
      "stateId": 256,
      "city": "Los Angeles",
      "zip": "90003",
      "countryId": 6,
      "statusCode": "PROSPECT",
      "status": "Prospect",
      "stateCode": "CA",
      "state": "California",
      "countryCode": "USA",
      "country": "United States",
    }
  ]
}
```



Powered by LaborEdge

```
"employeeType": null,
"referralSourceName": "Website",
"organizationCode": "Nexus",
"organization": "Nexus",
"candidatePrimaryDivisionId": null,
"candidatePrimaryDivision": null,
  "jobTypeIds":["LOCAL", "PERDIEM", "PERM", "TRAVEL"],
"gender": null,
"race": null,
"veteranStatus": null,
"hireDate": null,
"terminationDate": null,
"rehireDate": null,
"payrollId": "64993",
"middleName": "",
"preferredName": null,
"refferralBy": "Nancy Yu",
"secondaryDivision": [
  "Southeast",
  "East",
  "North"
],
"degreeType": [
  "BSN-Bachelor of Science in Nursing"
],
"recruiter": "Simone Arora",
"staffingSpecialistId": 80,
"staffingSpecialist": "Tina Mihic",
"complianceManagerId": 18,
"complianceManager": "Josh Tabit",
"workPhone": null,
"leapPhone": null,
"homePhone": null,
"contactPreferance": null,
"sendMassEmails": true,
"sendMassSms": true,
"primaryEmail": "tmihic1@gmail.com",
"secondaryEmail": null,
"leapEmail": null,
"region": null,
"temporaryAddressLine1": null,
"temporaryAddressLine2": null,
"temporaryCountry": null,
"temporaryCountryId": null,
"temporaryRegion": null,
"temporaryState": null,
"temporaryStateId": null,
"temporarySearchCity": null,
"temporarySearchZip": null,
"emergencyName": null,
"emergencyRelationship": null,
"emergencyPhone": null,
"emergencyEmail": null,
"emergencyAddressLine1": null,
"emergencyAddressLine2": null,
"emergencyState": null,
"emergencyStateId": null,
"emergencySearchCity": null,
"emergencySearchZip": null,
"prnStatusId": 52,
"prnStatusName": "Pending",
"prnStatusCode": "PENDING"
"staffingSpecialistId": 11,
"staffingSpecialist": "Json jakes"
"createdDate": "2019-02-05T09:40:38",
  "benefitList":[
    "Benefits Decliend"
```



Powered by LaborEdge

"BCBS Individual PPO"

],

},

"hotCandidate": true,

"lastModifiedDateTime": "2025-04-03T09:29:44",

"originalRecruiterName": null,

"candidateHighlights": null,

"availabilityLogNotes": null,

"desiredMinWeeklyGrossPay": 159,

"desiredMaxWeeklyGrossPay": 956,

"npi": "5657565756",

"jaCount": -1,

"recruiterEmail": "jitendra.shingate@mewhiz.com",

"leapPercentage": 80

}

]

15. GET CANDIDATE BY CANDIDATE ID

URL: <https://api-uat.laboredge.com:9000/api/api-integration/v1/candidates/{candidateId}>

note: {candidateId} is to be replaced with the id of the candidate in the system.

METHOD: GET

HEADER: Authorization: Bearer <access_token>

OUTPUT:

```
{
  "candidateId": 5234995,
  "firstName": "Lee S.",
  "lastName": "Cooper",
  "email": "Lee.Test@yopmail.com",
  "phone": null,
  "cellPhone": null,
  "statusId": 58,
  "referralSourceId": 266,
  "professionIds": [
    15
  ],
  "specialtyIds": [
    24
  ],
  "primarySpecialtyId": 24,
  "addressLine1": null,
  "addressLine2": null,
  "stateId": 259,
  "city": null,
  "zip": null,
  "countryId": 6,
  "statusCode": "BOOKED",
  "status": "Booked",
  "stateCode": "CO",
  "state": "Colorado",
  "countryCode": "USA",
  "country": "United States",
  "employeeType": null,
  "referralSourceName": "Mobile",
  "organizationCode": "Nexus",
  "organization": "Nexus LLC",
  "candidatePrimaryDivisionId": null,
  "candidatePrimaryDivision": null,
  "gender": null,
  "race": null,
  "veteranStatus": null,
  "hireDate": null,
  "terminationDate": null,
  "rehireDate": null,
  "payrollId": null,
  "middleName": "",
  "preferredName": null,
  "referralBy": "0 1",
  "referralById": 5841444,
  "secondaryDivision": null,
  "candidateSecondaryDivisionIds": null,
  "degreeType": null,
  "recruiter": "Abhijeet Tekale",
  "staffingSpecialistId": null,
  "staffingSpecialist": null,
  "complianceManagerId": 3430,
  "complianceManager": "Ketan SSO Test1",
  "workPhone": null,
  "leapPhone": null,
  "homePhone": null,
  "contactPreference": null,
  "sendMassEmails": true,
  "sendMassSms": true,
}
```



Powered by LaborEdge

```
"primaryEmail": "Lee.Test@yopmail.com",
"secondaryEmail": null,
"leapEmail": null,
"region": null,
"temporaryAddressLine1": null,
"temporaryAddressLine2": null,
"temporaryCountry": null,
"temporaryCountryId": null,
"temporaryRegion": null,
"temporaryState": null,
"temporaryStateId": null,
"temporarySearchCity": null,
"temporarySearchZip": null,
"emergencyName": null,
"emergencyRelationship": null,
"emergencyPhone": null,
"emergencyEmail": null,
"emergencyAddressLine1": null,
"emergencyAddressLine2": null,
"emergencyState": null,
"emergencyStateId": null,
"emergencySearchCity": null,
"emergencySearchZip": null,
"recruiterId": 1475,
"jobTypeIds": [
  "PERM",
  "TRAVEL",
  "PERDIEM",
  "LOCAL"
],
"candidateTypeIds": [
  1
],
"licensedStateIds": [
  241,
  259
],
"yearsOfExperience": 0.2,
"availableFrom": "2024-02-18",
"preferredStateIds": [
  228
],
"travelStatus": true,
"isAmbassador": null,
"ambassadorUrl": null,
"facebook": "facebook.lofitest.com",
"instagram": "instagram.lofitest.com",
"linkedin": "linkedin.lofitest.com",
"prnStatusId": 52,
"prnStatusName": "Pending",
"prnStatusCode": "PENDING",
"staffingSpecialistId": 11,
"staffingSpecialist": "Json jakes"
"createdDate": "2019-02-05T09:40:38",
"benefitList": ["Benefits Decliend"],
"hotCandidate": false,
"lastModifiedDateTime": "2025-01-21T07:05:25",
"originalRecruiterName": null,
"candidateHighlights": null,
"availabilityLogNotes": null,
"desiredMinWeeklyGrossPay": 159,
"desiredMaxWeeklyGrossPay": 956,
"npi": "5657565756",
"jaCount": -1,
"recruiterEmail": "jitendra.shingate@mewhiz.com",
"leapPercentage": 80
}
```

16. GET STAFFING SPECIALIST

URL: <https://api-uat.laboredge.com:9000/api/api-integration/v1/master/staffingspecialist>

METHOD: GET

HEADER: Authorization: Bearer <access_token>

OUTPUT:

```
[
  [
    {
      "id":
      "name": "Abhijeet Tekale ",
      "email": "abhijeet.tekale@mewhiz.com ",
      "active": true
    }
  ]
]
```

17. GET SHIFTS

URL: <https://api-uat.laboredge.com:9000/api/api-integration/v1/master/shifts>

METHOD: GET

HEADER: Authorization: Bearer <access_token>

OUTPUT:

```
[
  [
    {
      "id": 413,
      "name": "10:30A-10:20P",
      "active": false,
      "typeId": "2",
      "type": "mids"
    }
  ]
]
```

18. CANDIDATE UPDATE PATCH

URL: <https://api-uat.laboredge.com/api/api-integration/v1/candidates/{candidateId}>

METHOD: PATCH

HEADER: Authorization: Bearer <access_token>

INPUT: JSON Object

```
{
  "firstName": "Test Patch1 ",
  "lastName": "Test Patch",
  "primaryEmail": "testpatch@yopmail.com",
  "phone": "(476) 123-9458",
  "cellPhone": "(456) 129-9458",
  "statusId": null,
  "referralSourceId": null,
  "professionIds": null,
  "specialtyIds": null,
  "primarySpecialtyId": null,
  "jobTypeIds": null,
  "candidatePRNStatusId": null,
  "addressLine1": "Patchtest1",
  "addressLine2": "patchtest2",
  "stateId": null,
  "city": null,
  "zip": null,
  "countryId": null,
  "yearsOfExperience": null,
  "availableFrom": null,
  "preferredStateIds": null,
  "candidateTypeIds": null,
  "licensedStateIds": null,
  "travelStatus": null,
  "candidatePrimaryDivisionId": null,
  "candidateSecondaryDivisionIds": null,
  "sendMassEmails": null,
  "sendMassSms": null,
  "recruiterId": null,
  "ambassadorUrl": null,
  "ambassador": null,
  "facebook": null,
  "instagram": null,
  "linkedin": null,
  "other": null,
  "staffingSpecialistId": null,
  "preferredShiftIds": null,
  "isHotCandidate": false,
}
```



Powered by LaborEdge

```
"dob": "1979-10-11",
"npi" : 5623891143,
"middleName": "M",
"candidateHighlights" : "3 Years ",
"availabilityLogNotes" : "Flexible on state",
"desiredMinWeeklyGrossPay": 159,
"desiredMaxWeeklyGrossPay": 956,
"secondaryEmail": "Lee.Test@yopmail.com",
"workPhone": "123-455-7890",
"desiredArea": "Test1",
"blockScheduling": false,
"currentTraveler": true,
"travelExperience": true,
"chargeExperience": true,
"teachingFacilityExperience": true,
"additionalPhone": "12345678901"
```

```
}
```

OUTPUT-

```
{
  "id": 5942402
}
```

19. INSERT EDUCATION HISTORY

URL: <https://api-uat.laboredge.com/api/api-integration/v1/candidates/{candidateId}/education>

METHOD: **POST**

HEADER: Authorization: Bearer <access_token>

INPUT: JSON Object

If international is false

```
{
  "international": false,
  "schoolName": "ABC School",
  "fieldOfStudy": "Nursing",
  "degreeTypeId": 2,
  "countryId": 6,
  "city": "Texas City",
  "stateId": 242,
  "startDateOfDegree": "2013-01-18",
  "graduationDate": "2020-02-18",
  "nameAtGraduation": "Job Type 5",
  "nameOnDegree": "Jobtype5"
}
```

If international is true

```
{
  "international": true,
  "schoolName": "One New Education",
  "country": "United States",
  "degreeType": "Bachelor of Arts new",
  "startDateOfDegree": "2019-10-20",
  "graduationDate": "2023-07-15",
  "state": "Greater London 2",
  "city": "London 2",
  "nameOnDegree": "job Type6",
  "fieldOfStudy": "Nursing 1",
  "nameAtGraduation": "jobtype 6"
}
```

OUTPUT-

```
{
  "id": 20315
}
```

NOTES-

Mandatory Fields-

if international is false then mandatory fields are schoolName, countryId, degreeTypeId, startDateOfDegree, graduationDate .

If international is true then mandatory fields are schoolName, country, degreeType, startDateOfDegree, graduationDate. And country, degreeType, state values should be text fields.

If the city provided in the API request is not valid for the specified state ID, the city should not appear in the UI selection.

20. INSERT HEALTHCARE EMPLOYMENT HISTORY

URL: <https://api-uat.laboredge.com/api/api-integration/v1/candidates/{candidateId}/employmentHistory/HEALTHCARE>

METHOD: POST

HEADER: Authorization: Bearer <access_token>

INPUT: JSON Object

```
{
  "hospitalName": "California City Hospital - SouthBlock1",
  "employedFromDate": "1994-06-15",
  "employedToDate": "2024-09-15",
  "countryId": 6,
  "stateId": 256,
  "professionId": 15,
  "specialtyIds": [
    24
  ],
  "formerClientName": "California Hospital",
  "cityName": "Agoura Hills",
  "positionTypeId": 4,
  "agencyName": "Indian Medical Staffing",
  "agencyPhoneNo": "(986) 083-1051",
  "chargeNurse": true,
  "perceptor": true,
  "floatedUnits": [
    25
  ],
  "hospitalSize": 50,
  "hoursOfOnTheJobTraining": "1",
  "unitSize": 50,
  "patientRatio": "1",
  "patientRatio1": "3",
  "traumaLevel": "LEVEL1",
  "pediatricLevel": "LEVEL1",
  "nicuLevel": "LEVEL1",
  "empHistoryChartingIds": [],
  "equipmentInstrumentIds": [],
  "managerFirstName": "Jitendra",
  "managerLastName": "Shingate",
  "managerPhone": "(986) 083-2238",
  "reasonForLeaving": "Unknown",
  "contactAsReference": true,
  "teachingHospital": true,
  "magnetDesignated": true,
  "responsibilities": "Test"
}
```

OUTPUT-

```
{
  "id": 73972
}
```

NOTES-

Mandatory Fields- hospitalName,employedFromDate,countryId,stateId,professionId,specialtyIds

21. INSERT PROFESSIONAL EMPLOYEMENT HISTORY

URL: <https://api-uat.laboredge.com/api/api-integration/v1/candidates/{candidateId}/employmentHistory/PROFESSIONAL>

METHOD: POST

HEADER: Authorization: Bearer <access_token>

INPUT: JSON Object

```
{
  "hospitalName": "PROFESSIONAL Test 2",
  "formerClientName": "Professional Test",
  "employedFromDate": "1977-01-15",
  "employedToDate": "1978-02-15",
  "international": false,
  "countryId": 6,
  "stateId": 256,
  "cityName": "Acampo",
  "managerFirstName": "Test Manager First Name",
  "managerLastName": "Test Manager Last Name",
  "managerPhone": "(986) 083-2238",
  "reasonForLeaving": "Test Reason for Leaving",
  "contactAsReference": true,
  "responsibilities": "Test Responsibilities"
}
```

OUTPUT-

```
{
  "id": 74108
}
```

NOTES-

Mandatory Fields- hospitalName,employedFromDate,countryId,stateId

22. INSERT GAP OF EMPLOYEMENT

URL: <https://api-uat.laboredge.com/api/api-integration/v1/candidates/{candidateId}/employmentHistory/GAP>

METHOD: POST

HEADER: Authorization: Bearer <access_token>

INPUT: JSON Object

```
{
  "employedFromDate": "1977-01-15",
  "employedToDate": "1978-02-15",
  "international": false,
  "countryId": 6,
  "stateId": 256,
  "cityName": "Acampo",
  "gapReasonId": 5,
  "gapReasonExplanation": "Test Gap Reason Explanation"
}
```

OUTPUT-

```
{
  "id": 74108
}
```

NOTES-

Mandatory Fields-employedFromDate,countryId,stateId, gapReasonId

23. REFER A FRIEND

URL: <https://api-uat.laboredge.com/api/api-integration/v1/referral/referafriend/external/{ReferrarCandidateId}>

METHOD: POST

HEADER: Authorization: Bearer <access_token>

INPUT: JSON Object

```
{
  "referredFirstName": "Rahul",
  "referredLastName": "Mane",
  "professionIds": [18],
  "specialtyIds": [35],
  "notifyFriend": false,
  "referredByFirstName": "Devendra",
  "referredByLastName": "L",
  "referralSourceId": "397"
}
```

OUTPUT-

```
{
  "id": 74108
}
```

24. GET JOB STATUSES

URL: <https://api-uat.laboredge.com/api/api-integration/v1/master/jobstatuses>

METHOD: GET

HEADER: Authorization: Bearer <access_token>

OUTPUT-

```
[
  {
    "id": 252,
    "name": "Backfill ",
    "code": "backfill_QWEQWE",
    "active": true,
    "supportedJobTypes": [
      "PERM",
      "LOCAL",
      "TRAVEL"
    ]
  },
  {
    "id": 2753,
    "name": "OPEN",
    "code": "OPEN",
    "active": true,
    "supportedJobTypes": [
      "PERM",
      "TRAVEL",
      "LOCAL"
    ]
  },...
]
```

25. GET OFFERINGS

URL: <https://api-uat.laboredge.com/api/api-integration/v1/master/offerings>

METHOD: GET

HEADER: Authorization: Bearer <access_token>

OUTPUT:-

```
[
  {
    "offeringId": "GOV_ALLIED",
    "offering": "Government Allied",
    "hasSubOffering": true,
    "subOfferings": [
      {
        "subOfferingId": "GOV_ADVANCE_PRACTICE",
        "subOffering": "Advanced Practice"
      },
      {
        "subOfferingId": "GOV_LABORATORY",
        "subOffering": "Laboratory"
      },
      {
        "subOfferingId": "GOV_OTHERS",
        "subOffering": "Others"
      },
      {
        "subOfferingId": "GOV_RADIOLOGY",
        "subOffering": "Radiology"
      },
      {
        "subOfferingId": "GOV_REHAB",
        "subOffering": "Rehab"
      }
    ]
  },
  {
    "offeringId": "IT",
    "offering": "IT",
    "hasSubOffering": false,
    "subOfferings": []
  },
  {
    "offeringId": "LOCUMS",
    "offering": "Locums",
    "hasSubOffering": false,
    "subOfferings": []
  },
  {
    "offeringId": "NONCLINICAL",
    "offering": "Non-Clinical",
    "hasSubOffering": false,
    "subOfferings": []
  }
]
```

26. GET DIVISION

URL: <https://api-uat.laboredge.com/api/api-integration/v1/master/divisions>

METHOD: GET

HEADER: Authorization: Bearer <access_token>

OUTPUT:-

```
[
  {
    "id": 57,
    "name": "East",
    "active": true
  },
  {
    "id": 69,
    "name": "North",
    "active": true
  },
  {
    "id": 45,
    "name": "Southeast",
    "active": true
  },
  {
    "id": 46,
    "name": "West",
    "active": true
  }
]
```

END OF THE DOCUMENT